





Company name: Created by: Phone:

	Value	Date:		19	
Description				MAGNA3 25-120 N [%	
General information:		14 -			
Product name:	MAGNA3 25-120 N				
Product No:	97924340	13 -			
EAN number:	5710626494163	12 -			
	5710626494163	11 -	\neg		
Price:	1.238,00 GBP	10			- 100
Technical:					
Rated flow:	7.9 m³/h	9-			- 90
Rated head:	5.9 m	8-			- 80
Head max:	120 dm	7			- 70
TF class:		6-			- 60
Approvals on nameplate:	110 CE,VDE,EAC,CN ROHS,WEEE	5-			50
Model:	D	4 -			- 40
	ט	3	VIV		- 30
Materials:	Qualizza de la	2_			- 20
Pump housing:	Stainless steel			$f \neq v \neq v$	
	EN 1.4308	1			- 10
	ASTM 351 CF8	0 /	2 4 6	8 10 Q [m³/h]	LO
Impeller:	PES 30%GF		<u>د 4 ۵</u>	o iv Q [m³/h]	1
Installation:		P1 [W]			-
Range of ambient temperature:	0 40 °C				
Maximum operating pressure:	10 bar	150 -	1//		
Pipe connection:	G 1 1/2"		///		
Pressure rating:	PN10		///		
Port-to-port length:	180 mm		///		
Liquid:		/	//		
Pumped liquid:	Water	50 -			
Liquid temperature range:	-10 110 °C				
Selected liquid temperature:	60 °C				-
Density at selected liquid temperature:	983.2 kg/m³				
Electrical data:					
Power input - P1:	9 185 W	<u>111</u>	1.5 54 185	90 113	
Mains frequency:	50 / 60 Hz				
Rated voltage:	1 x 230 V		·		52
Maximum current consumption:	0.09 1.56 A		···+= ((E) • + ++	╶┼┫╢╴└┝╲╝╱╔═╴╵	
Enclosure class (IEC 34-5):	X4D			╻────┐ ╹	
Insulation class (IEC 85):	F	- 69 -		[]	
Others:		4 69 ►	a ′1 b		
Energy (EEI):	0.18				
Net weight:	5.3 kg				
Gross weight:	6.1 kg				
Shipping volume:	0.015 m ³				
Danish VVS No.:					
	380795120				
Swedish RSK No.:	5803238				
Norwegian NRF no.:	9042357		ed motor I fuse and additional protection	~	
Country of origin:	DE		⇒ 		
Custom tariff no.:	84137030				
			sirputs		
			2 1	Max	
			Ney output	250V AC	
			8 6 8 7	C 2A, ACI mA RELAV2	
				10 M	
			Analogii external		
			₩ ()		