



Printed from Grundfos Product Centre [2019.08.002]



## Company name: Created by: Phone:

			02/01/2020
Description	Value	H [m]	MAGNA3 32-100 F N
General information:	Value		
Product name:	MAGNA3 32-100 F N		
Product No:	97924345		
		11 -	
EAN number:	5710626494217	10-	- 100
	5710626494217		
Price:	1.408,00 GBP	9-	-90
Technical:		8-	80
Rated flow:	6.6 m³/h	7-	-70
Rated head:	6.3 m	/-	
Head max:	100 dm	6	60
TF class:	110	5-	-50
Approvals on nameplate:	CE,VDE,EAC,CN ROHS,WEEE	4-	
Model:	D	3	
Materials:			
Pump housing:	Stainless steel	2-	
r amp nousing.	EN 1.4308	1	
	ASTM 351 CF8	/	
Impeller:	PES 30%GF		2 4 6 8 10 Q [m³/h]
•	FE0 30%GF	P1 - [W]	
Installation:	0 40.00	[vv]	
Range of ambient temperature:	0 40 °C	150 -	
Maximum operating pressure:	10 bar	150 -	
Flange standard:	DIN		
Pipe connection:	DN 32	<del>-</del> 100-	
Pressure rating:	PN6/10		
Port-to-port length:	220 mm		
Liquid:		50 -	
Pumped liquid:	Water		
Liquid temperature range:	-10 110 °C	0	
Selected liquid temperature:	60 °C		
Density at selected liquid temperature:	983.2 kg/m³		
Electrical data:			
Power input - P1:	9 171 W		
Mains frequency:	50 / 60 Hz		
Rated voltage:	1 x 230 V		
Maximum current consumption:	0.09 1.47 A		
Enclosure class (IEC 34-5):	X4D	69 100 11	90/100 90/100
Insulation class (IEC 85):	F		
Others:			
Energy (EEI):	0.18		
Net weight:	7.79 kg		
Gross weight:	8.32 kg		
Shipping volume:	0.019 m <sup>3</sup>		
Danish VVS No.:	380796101		
Swedish RSK No.:	5803243	Example of plug-connect	ted motor p fuse and additional protection
Country of origin:	DE	with mains switch, backu	
Custom tariff no.:	84137030		
			Reby Reby
			y outputs