COMFORT PM AUTOADAPT HOT WATER RECIRCULATION THE CLEVER WAY

The Grundfos COMFORT PM AUTOADAPT sets new standards for energyefficient and intelligent hot water recirculation in private homes and offers the ultimate in control with fully automatic operation (AUTOADAPT), temperature-controlled operation or continuous full speed operation.

The AUTOADAPT function uses an automatic calendar to get an overview of when you use hot water. This operation is calendar-controlled by a combination of the temperature control and the calendar log. This keeps energy use low while ensuring instantly hot water.

INSTANT HOT WATER USING LESS ENERGY

Every time you tap hot water, the automatic calendar registers and logs this event. After two weeks, AUTOADAPT functionality has learnt your habits and the pump runs only when necessary, ensuring hot water is instantly available, meeting your needs precisely.

COMFORT WHEN YOU NEED IT

Instantly delivers hot water all over the house, giving the best comfort and at the same time the lowest energy consumption.

SAVE MONEY IN YOUR HOT WATER SYSTEM

A low noise permanent magnet motor reduces the energy consumption to as little as 5-7 W. Compared to conventional pumps that run continuously, this equals a cost reduction of up to 97 % with heat energy savings of as much as 48 %.

TECHNICAL DATA

GRUNDFOS COMFORT PM

100%

Flow, Q _{max} :	0.7 m³/h
Head, H _{max} :	1.2 m
Liquid temperature:	2 °C - 95 °C
Power:	5 W - 7 W



be think innovate

CHOOSE YOUR OPTIMAL HOT WATER RECIRCULATOR

Not all homeowners have the same requirements for hot water recirculation. That is why the COMFORT PM portfolio includes three products:

Fully automated – COMFORT PM AUTOADAPT

Temperature control mode:

The COMFORT PM AUTOADAPT delivers instantly hot water all over the house and offers the ultimate in control with three operation modes:

- AUTO
- AUTOADAPT mode:

The pump learns the user pattern of the customer and only runs when hot water is needed

- ł
- working area of the pump within a calculated temperature range100% mode:
 - The pump runs continuously at full speed without any control

Pump regulation is based on temperature control, keeping the

Constant temperature – COMFORT PM Temperature Control

The COMFORT PM Temperature Control offers pump regulation based on temperature control. Keeping the working area of the pump within a calculated temperature range gives you the maximum comfort and saves energy at the same time.


High price-performance ratio – COMFORT PM Basic

The COMFORT PM Basic meets homeowner requirements for continuous full speed operation, where there is no requirement for the fully automated AUTOADAPT pump.

All COMFORT PM pumps offer:

- Silent and easy operation Compact design and easy to use
- Low heat loss The included insulation shells reduce the heat loss from the pump
- **No clogging** Semi-spherical motor design ensures maximum resistance against blockage caused by lime.

PERFORMANCE CURVES



GRUNDFOS Holding A/S Poul Due Jensens Vej 7 DK-8850 Bjerringbro Tel: +45 87 50 14 00 www.grundfos.com

- Easy installation Install even in confined spaces. The COMFORT plug enables easy connection without opening the terminal box
- Dry-running protection
 Ensures long pump lifetime and
 hassle-free commissioning
- **COMFORT BA PM AUTOADAPT** COMFORT BXT PM TEMPERATURE CONTROL **COMFORT B PM** BASIC TYPES PRODUCT PRODUCT ТҮРЕ КЕҮ NUMBER COMFORT PM AUTOADAPT COMFORT 15-14 BA PM 99164487 COMFORT PM AUTOADAPT COMFORT 15-14 BXA PM 99164488 w. non-return valve **COMFORT PM Temperature** COMFORT 15-14 BT PM 99279867 Control **COMFORT PM Temperature** COMFORT 15-14 BXT PM 99279868 Control w. non-return valve COMFORT PM Basic COMFORT 15-14 B PM 99164484 **COMFORT PM Basic** COMFORT 15-14 BX PM 99164486 w. non-return valve You can find more information about the COMFORT PM portfolio at www.grundfos.com

98511175/0617/CHANNEL MARKETING/12150-BrandBoy

