

ESyTANK pro



MODULARITY AND CONNECTIVITY

INTRODUCING ESyTANK PRO
THE WATER STORAGE TANK &
VARIABLE SPEED BOOSTER SET SOLUTIONS



D-WEB.CO.UK

DAB
WATER•TECHNOLOGY

Introducing Esytank Pro, water boosting and storage solutions incorporating the revolutionary Esyline range of booster sets.

These packages are specifically designed to minimize footprint and maximize storage whilst maintaining easy access to pumps and controls. No need to disturb the stored water when interacting with the pump, saving time, money and the inconvenience of draining and chlorination.

Pro tanks are WRAS approved, of insulated GRP construction and feature AG or AB Cat 5 protection.

Combinations include anything from a single Esybox Mini3, our smallest Esyline variable speed booster set right up to a triple pump, 3 Esybox Max 85/120T commercial set, able to look after the high flow and pressure requirements of more demanding environments. The Esytank Pro range consists of nominal sizes up to 1500L as standard.

All Esyline products can be remotely managed and monitored via the DAB DConnect system, this system allows customers to view real-time performance data, access tailored reports and have the peace of mind provided by a remote backup. Extended warranty packages are available based on DConnect set-up, commissioning and service support for up to 5 years.

Esyline booster sets are packed with unique features from water-cooled quiet running to the use of permanent magnet motors in Esybox Max. This results in up to 20% greater efficiency compared to standard booster pump motors! The Esyline system focuses on modularity, saving on manufacturing resources, transport and storage requirements. Modularity helps support the drive to CO2 reduction and promotes ready availability meaning the customer saves time.



D+CONNECT
ALWAYS CONNECTED TO ESYBOX LINE

The D.Connect service is available for all products in the Esybox range. This allows remote and easy interaction with the products, supporting both monitoring and management from anywhere. D.Connect - always under control.

PRODUCT OVERVIEW

COMPACT MODULAR SYSTEMS
FOR EASY ACCESS AND
INSTALLATION

TANK SIZES FROM
65L TO 1500L

REMOTE MONITORING AND
MANAGEMENT

PRESSURE RANGES FROM 1
BAR TO 9.6 BAR. FLOWRATES
UP TO 10L/S

WRAS APPROVED BRASS
EQUILIBRIUM BALL VALVE
INCORPORATING COPPER FLOAT

1,2 OR 3 PUMP VARIABLE
SPEED BOOSTER SET
COMBINATIONS

REVOLUTIONARY AWARD
WINNING WRAS APPROVED
ESYLINE BOOSTER SETS.
EXTREMELY QUIET WATER
COOLED SYSTEM

- Minimal footprint WRAS approved water tank and variable speed booster set packages
- Category 5 AB or AG water protection
- Incorporating the revolutionary DAB Esyline range of booster sets
- Easy access to pumps without having to contact the water risking contamination requiring tank draining and chlorination
- Simple tank and base system along with modular booster pump sets makes building access easy
- Range of sizes 65L to 1500L
- 1,2 or 3 pump booster combinations
- Quiet, water cooled highly efficient pump sets
- Remote monitoring and management via D.Connect
- WRAS approved GRP insulated tanks incorporating all fittings
- Fully WRAS approved booster sets
- Pressure ranges from 1 bar - 9.6 bar



DCONNECT APP



SPECIFICATION




DAB Esytank Pro is designed to provide a compact water storage option for the award winning Esyline booster set range. Similar to the Esyline pump range, Esytank Pro tank systems focus on modularity, making site access easy and minimising footprint. The Esyline booster range is compact, quiet and highly efficient, providing flow rates up to 10l/s and pressure ranges up to 9.6 bar, across 1 - 3 pump booster set options. Esytank Pro tanks are fully insulated, GRP construction and WRAS approved. All Esyline booster sets are fully WRAS approved. Tank capacities range from 65L - 1500L. Pumps and controls are easily accessible and external to the tank meaning there is no requirement to touch the stored water, risking contamination and the need to drain and chlorinate after service.

- GRP Insulated WRAS approved water tanks
- Award winning WRAS approved Esyline variable speed booster sets
- High quality tank fittings including professional standard equilibrium ball valve with copper float and brass Essex tank connectors
- BMS connectivity
- Remote monitoring and management capability as standard
- System performance reporting capability
- Full suite of alarms and protections
- Condense tray with encapsulated 1" marine ply protects tank base and allows for easier installation
- Esybox Max range features permanent magnet motor technology for increased efficiency
- Water cooled pump systems for extremely quiet running
- Twin tank options
- Category 5 AB and AG protection options on all tanks



USE

Large houses, apartment blocks, restaurants, medical centres, schools through to mid range hotels and commercial premises



esybox mini³

esybox

esybox max

FEATURES



OPERATING RANGE

FLOW RATE: up to 4,8 m³/h
MAXIMUM HEAD: up to 55 m

FLOW RATE: up to 7,2 m³/h
MAXIMUM HEAD: up to 65 m

FLOW RATE: up to 17,4 m³/h
MAXIMUM HEAD: up to 113 m



ENERGY SAVING

UP TO £240 A YEAR*

UP TO £500 A YEAR *

UP TO £900 A YEAR *



DCONNECT

AVAILABLE
with Dconnect Box or Dconnect Box 2

AVAILABLE
with Dconnect Box or Dconnect Box 2

INTEGRATED



COMMUNICATION PROTOCOLS

WI-FI

WI-FI

WIRELESS, WI-FI, BLUETOOTH, integrated and standard.
Modbus for communication with external systems.



CERTIFICATIONS

ACS,
WRAS

ACS,
WRAS

ACS,
WRAS,
NSF61



INVERTER

INTEGRATED

INTEGRATED

INTEGRATED



DISPLAY

HIGH RESOLUTION LCD,
70x40 mm

HIGH RESOLUTION LCD,
70x40 mm

HIGH DEFINITION LCD,
optimum visibility with high contrast, 70x40mm



DIMENSIONS

24 L X 27 P X 44 H *

26 L X 35 P X 56,5 H *

37,5 L X 38,5 P X 76,5 H



WEIGHT

14,6 Kg

27 Kg

38 Kg

* Compared to a conventional booster pump, during average conditions of use.

* VERTICAL INSTALLATION
(Possibility of horizontal installation)

ESYTANK PRO DIMENSIONS

TANK SIZE	WIDTH MM	DEPTH MM	HEIGHT MM
65L	650	650	740
250L	660	1000	1042
500L	780	1030	1542
750L	1170	1050	1500
1000L	1520	1050	1542
1250L	1670	1100	1537
1500L	1670	1130	1842



BOOSTER SET PERFORMANCE MATRIX

BOOSTER SET SELECTION CRITERIA.

MID RANGE PERFORMANCE	SINGLE PUMP	DUTY / STANDBY	DUTY / ASSIST	DUTY / ASSIST / STANDBY	DUTY / ASSIST / ASSIST
0.75L/S @ 3.5 BAR	ESYBOX MINI 3				
1.1L/S @ 4.5 BAR	ESYBOX STANDARD	ESYTWIN COMPLETE			
2.6L/S @ 5 BAR	ESYBOX MAX 60/120M & T*	2 ESYBOX MAX 60/120M & T*			
2.6L/S @ 7 BAR	ESYBOX MAX 85/120T	2 ESYBOX MAX 85/120T			
1.93L/S @ 4.5 BAR			ESYTWIN COMPLETE		
5.2L/S @ 5 BAR			2 ESYBOX MAX 60/120M & T*		
5.2L/S @ 7 BAR			2 ESYBOX MAX 85/120T		
5.2L/S @ 5 BAR				3 ESYBOX MAX 60/120M & T*	
5.2L/S @ 7 BAR				3 ESYBOX MAX 85/120T	
7.8L/S @ 5 BAR					2 ESYBOX MAX 60/120M & T*
7.8L/S @ 7 BAR					3 ESYBOX MAX 85/120T

Note: M = single phase T=3 phase supply

BOOSTER SET AND TANK COMBINATIONS - MODEL DEFINITIONS

SINGLE PUMP OPTIONS

	65L CAPACITY AB ONLY	250L CAPACITY AB & AG	500L CAPACITY AB & AG	750L CAPACITY AB & AG	1000L CAPACITY AB & AG
ESYBOX MINI 3	Esytank Pro 65 AB - Esybox Mini 3	Esytank Pro 250 AB / or AG - Esybox Mini3			
STANDARD ESYBOX	Esytank Pro 65 AB - Esybox Standard	Esytank Pro 250 AB / or AG - Esybox Standard	Esytank Pro 500 AB / or AG - Esybox Standard	Esytank Pro 750 AB / or AG - Esybox Standard	Esytank Pro 1000 AB / or AG - Esybox Standard

DUTY / ASSIST TWIN PUMP OPTIONS

	500L CAPACITY AB & AG	750L CAPACITY AB & AG	1000L CAPACITY AB & AG	1250L CAPACITY AB & AG	1500L CAPACITY AB & AG
COMPLETE ESYTWIN	Esytank Pro 500 AB / or AG - complete Esytwin	Esytank Pro 750 AB / or AG - Complete Esytwin	Esytank Pro 1000 AB / or AG - Complete Esytwin	Esytank Pro 1250 AB / or AG - Complete Esytwin	Esytank Pro 1500 AB / or AG - Complete Esytwin
2 ESYBOX MAX 60/120 M OR T			Esytank Pro 1000 AB / or AG - 2 Esybox Max 60/120 M or T	Esytank Pro 1250 AB / or AG - 2 Esybox Max 60/120 M or T	Esytank Pro 1500 AB / or AG - 2 Esybox Max 60/120 M or T
2 ESYBOX MAX 85/120 T			Esytank Pro 1000 AB / or AG - 2 Esybox Max 85/120 T	Esytank Pro 1250 AB / or AG - 2 Esybox Max 85/120 T	Esytank Pro 1500 AB / or AG - 2 Esybox Max 85/120 T

DUTY / STANDBY TWIN PUMP OPTIONS

	500L CAPACITY AB & AG	750L CAPACITY AB & AG	1000L CAPACITY AB & AG	1250L CAPACITY AB & AG	1500L CAPACITY AB & AG
COMPLETE ESYTWIN	Esytank Pro 500 AB / or AG - complete Esytwin	Esytank Pro 750 AB / or AG - Complete Esytwin	Esytank Pro 1000 AB / or AG - Complete Esytwin	Esytank Pro 1250 AB / or AG - Complete Esytwin	Esytank Pro 1500 AB / or AG - Complete Esytwin
2 ESYBOX MAX 60/120 M OR T			Esytank Pro 1000 AB / or AG - 2 Esybox Max 60/120 M or T	Esytank Pro 1250 AB / or AG - 2 Esybox Max 60/120 M or T	Esytank Pro 1500 AB / or AG - 2 Esybox Max 60/120 M or T
2 ESYBOX MAX 85/120 T			Esytank Pro 1000 AB / or AG - 2 Esybox Max 85/120 T	Esytank Pro 1250 AB / or AG - 2 Esybox Max 85/120 T	Esytank Pro 1500 AB / or AG - 2 Esybox Max 85/120 T

DUTY / ASSIST / ASSIST THREE PUMP OPTIONS

	1000L CAPACITY AB & AG	1250L CAPACITY AB & AG	1500L CAPACITY AB & AG
3 ESYBOX MAX 60/120 M OR T	Esytank Pro 1000 AB / or AG - 3 Esybox Max 60/120 M or T	Esytank Pro 1250 AB / or AG - 3 Esybox Max 60/120 M or T	Esytank Pro 1500 AB / or AG - 3 Esybox Max 60/120 M or T
3 ESYBOX MAX 85/120 T	Esytank Pro 1000 AB / or AG - 3 Esybox Max 85/120 T	Esytank Pro 1250 AB / or AG - 3 Esybox Max 85/120 T	Esytank Pro 1500 AB / or AG - 3 Esybox Max 85/120 T

DUTY / ASSIST / STANDBY THREE PUMP OPTIONS

	1000L CAPACITY AB & AG	1250L CAPACITY AB & AG	1500L CAPACITY AB & AG
3 ESYBOX MAX 60/120 M OR T	Esytank Pro 1000 AB / or AG - 3 Esybox Max 60/120 M or T	Esytank Pro 1250 AB / or AG - 3 Esybox Max 60/120 M or T	Esytank Pro 1500 AB / or AG - 3 Esybox Max 60/120 M or T
3 ESYBOX MAX 85/120 T	Esytank Pro 1000 AB / or AG - 3 Esybox Max 85/120 T	Esytank Pro 1250 AB / or AG - 3 Esybox Max 85/120 T	Esytank Pro 1500 AB / or AG - 3 Esybox Max 85/120 T

**DAB PUMPS LTD.**

6 Gilbert Court
Newcomen Way
Severalls Business Park
Colchester
Essex
CO4 9WN - UK
salesuk@dwtgroup.com
Tel. +44 0333 777 5010

**DAB PUMPS BV**

'tHofveld 6 C1
1702 Groot Bijgaarden - Belgium
info.belgium@dwtgroup.com
Tel. +32 2 4668353

**DAB PUMPS B.V.**

Albert Einsteinweg, 4
5151 DL Drunen - Nederland
info.netherlands@dwtgroup.com
Tel. +31 416 387280
Fax +31 416 387299

**DAB PUMPS GMBH**

Am Nordpark 3
D - 41069 Mönchengladbach - Germany
info.germany@dwtgroup.com
Tel. +49 2161 47388-0
Fax +49 2161 47388-36

**DAB PUMPS IBERICA S.L.**

Calle Verano 18-20-22
28850 - Torrejón de Ardoz - Madrid
Spain
Info.spain@dwtgroup.com
Tel. +34 91 6569545
Fax: + 34 91 6569676

**DAB PUMPS HUNGARY KFT.**

H-8800
Nagykanizsa, Buda Ernő u.5
Hungary
Tel. +36 93501700

**DAB PUMPS POLAND Sp. z o.o.**

Ul. Janka Muzykanta 60
02-188 Warszawa - Poland
polska@dabpumps.com.pl

**OOO DAB PUMPS**

Novgorodskaya str. 1, block G
office 308, 127247, Moscow - Russia
info.russia@dwtgroup.com
Tel. +7 495 122 0035
Fax +7 495 122 0036

**DAB PUMPS INC.**

3226 Benchmark Drive
Ladson, SC 29456 - USA
info.usa@dwtgroup.com
Tel. 1-843-797-5002
Fax 1-843-797-3366

**DAB PUMPS SOUTH AFRICA (PTY) LTD**

Twenty One industrial Estate,
16 Purlin Street, Unit B, Warehouse 4
Olifantsfontein -1666 - South Africa
info.sa@dwtgroup.com
Tel. +27 12 361 3997

**DAB PUMPS (QINGDAO) CO. LTD.**

No.40 Kaituo Road, Qingdao Economic & Technological
Development Zone
Qingdao City, Shandong Province - China
PC: 266500
sales.cn@dwtgroup.com
Tel. +86 400 186 8280
Fax +86 53286812210

**DAB PUMPS DE MÉXICO, S.A. DE C.V.**

Av Amsterdam 101 Local 4
Col. Hipódromo Condesa,
Del. Cuauhtémoc CP 06170
Ciudad de México
Tel. +52 55 6719 0493

**DAB PUMPS OCEANIA PTY LTD**

426 South Gippsland Hwy,
Dandenong South VIC 3175 – Australia
info.oceania@dwtgroup.com
Tel. +61 1300 373 677

**PT DAB PUMPS INDONESIA**

Satrio Tower lantai 26
unit C-D, Jl. Prof. Dr. Satrio Kav. C4,
Kel. Kuningan Timur, Kec. Setiabudi, Kota Adm.
Jakarta Selatan, Prov. DKI Jakarta. - Indonesia
Tel. +62 2129222850

