



Company name:

Created by:


Phone:

Date:


19/09/2025

Qty.	Description
1	<p><b>PM START</b></p> <p>Product No.: <a href="#">93225672</a></p> <p>Grundfos PM START pressure manager is designed for automatic start and stop control of Grundfos and other water supply pumps.</p> <p>PM START is a basic control solution suitable for applications where start and stop operation of the pump according to consumption is needed.</p> <p>PM START starts the pump when a start pressure of 1.5 or 2.2 bar is reached, and the pump is kept running as long as there is sufficient flow.</p> <p>PM START stops the pump in case of water shortage and protects it from dry-running.</p> <p>In case of a temporary blackout, the pressure manager automatically resumes operation once power has been restored.</p>

Description	Value
<b>General information:</b>	
Product name:	PM START
Product No:	93225672
EAN number:	5715469508084
<b>Technical:</b>	
Minimum flow:	1 m³/h
Approvals:	CE
Return valve:	YES
Adjustable start pressure (Yes/No):	N
Start pressure:	2.2 bar
Number of pumps:	1
<b>Installation:</b>	
Range of ambient temperature:	0 .. 50 °C
Maximum operating pressure:	10 bar
Type of connection:	G
Size of connection:	1 inch
<b>Liquid:</b>	
Pumped liquid:	Water
Liquid temperature range:	0 .. 60 °C
Selected liquid temperature:	20 °C
Density:	998.2 kg/m³
<b>Electrical data:</b>	
Max. P1:	1500 W
Mains frequency:	50 / 60 Hz
Rated voltage:	1 x 220-240 V
Rated current:	10 A
Enclosure class (IEC 34-5):	IP65
Length of cable:	1.5 m
Power plug:	Schuko plug
<b>Controls:</b>	
Type of connector:	Type E/F (CEE7/7)
Dry running protection:	Pressure switch
<b>Others:</b>	
Net weight:	1.18 kg
Gross weight:	1.4 kg
Shipping volume:	0.006 m³
Fits to the following product(s):	CMB, CM, JP
Finnish LVI No.:	4772080
Environmental approvals:	WEEE



## 93225672 PM START



Note! All units are in [mm] unless others are stated.

Disclaimer: This simplified dimensional drawing does not show all details.