



# WaterBoost

## WB-Coffin 340 Eskybox

Complete pressurised water storage & boosting system

Part No. 2208310B

Get in touch

WhatsApp  
07464 644 830

waterboost.co.uk  
anglianpumping.com

IN STOCK · FAST DISPATCH

## The complete solution for low water pressure.

The WaterBoost WB-Coffin 340 Eskybox is a complete, low-profile water boosting system engineered for installations where headroom is limited. It combines a 340 litre WRAS-approved coffin-style tank with the DAB Eskybox variable-speed pump — ideal for larger domestic homes and light commercial premises with high simultaneous demand where space is restricted, such as garages, cupboards, and plant rooms.



**340 L**

Storage capacity

**120 L/min**

Max flow rate

**6.0 bar**

Max delivery pressure

**1500×600×630**

Tank dimensions (mm)

**5 yr**

Tank warranty



## KEY FEATURES

- Low-profile coffin design — ideal where headroom is restricted
- WRAS-approved tank for potable water storage
- DAB Esybox — high-flow, multi-bathroom performance
- Intelligent variable-speed control — adjusts automatically to demand
- All interconnecting 1" braided hose included
- Pre-fitted By-law 30 kit, ½" ball float valve & 1" brass connection
- Wi-Fi monitoring & control via DAB DConnect app
- UV-stabilised polyethylene construction

## WHAT'S INCLUDED

- Tank** 340 L WRAS-approved coffin-style tank
- Pump** DAB Esybox variable-speed booster
- Pipework** 1" braided hose tank-to-booster connection
- Valve** ½" ball float valve & float (pre-fitted)
- Kit** By-law 30 kit (pre-fitted to tank)
- Brass** 1" brass connection set

### IDEAL FOR

- Properties with restricted headroom or limited space
- Garages, cupboards and under-stair plant rooms
- Larger homes with high simultaneous demand

## TECHNICAL SPECIFICATIONS

| TANK — WB-Coffin 340 |                                   |
|----------------------|-----------------------------------|
| Capacity             | <b>340 litres</b>                 |
| Style                | <b>Coffin / low-profile</b>       |
| Approval             | <b>WRAS-approved material</b>     |
| Material             | <b>UV-stabilised polyethylene</b> |
| Colour               | <b>Blue</b>                       |
| Manufacture          | <b>UK manufactured</b>            |
| Rust resistance      | <b>100% rust-proof</b>            |
| Dimensions (L×W×H)   | <b>1,500 × 600 × 630 mm</b>       |
| Access lid           | <b>8" pre-fitted</b>              |
| Ball valve           | <b>½" pre-fitted</b>              |
| Warranty             | <b>5 years</b>                    |

| PUMP — DAB Esybox Variable Speed |                                      |
|----------------------------------|--------------------------------------|
| Model                            | <b>DAB Esybox</b>                    |
| Type                             | <b>Variable-speed inverter</b>       |
| Dimensions (W×H×D)               | <b>352 × 564 × 263 mm</b>            |
| Max flow rate                    | <b>120 L/min</b>                     |
| Flow @ 3 bar                     | <b>80 L/min</b>                      |
| Max pressure                     | <b>6 bar</b>                         |
| Speed control                    | <b>Fully automatic variable</b>      |
| Display                          | <b>Colour LCD display</b>            |
| Connectivity                     | <b>Wi-Fi / DConnect ready</b>        |
| Operation                        | <b>Soft-start — vibration-damped</b> |
| Protection                       | <b>IP X4</b>                         |
| Warranty                         | <b>3 years</b>                       |




## SYSTEM OVERVIEW

|                          |  |
|--------------------------|--|
| Part number              | <b>2208310B</b>  |
| Availability             | <b>In stock — typically 2–3 working days</b>           |
| Tank dimensions (L×W×H)  | <b>1,500 × 600 × 630 mm</b>                            |
| Pump dimensions (W×H×D)  | <b>352 × 564 × 263 mm</b>                              |
| Approx. total footprint  | <b>1,852 × 600 mm (L × W) (pump alongside tank)</b>    |
| Mains inlet              | <b>½" BSP — ball float valve (1" brass connection)</b> |
| Interconnecting pipework | <b>1" braided hose (included)</b>                      |
| Combined warranty        | <b>Tank 5 years · Pump 3 years</b>                     |

## HOW IT WORKS

- 1 Mains water fills the storage tank automatically via the float valve
- 2 DAB Esybox monitors demand and draws water from the tank
- 3 Variable-speed pump delivers consistent pressure to all outlets
- 4 When demand stops, pump rests — saving energy automatically

## PERFORMANCE CURVE — DAB ESYBOX



Manufacturer's pump curve — head (H) vs flow (Q). Flow @ 3 bar (~30m head) ≈ 80 L/min.

## ORDER OR ENQUIRE

In stock and ready to dispatch. Get in touch via WhatsApp, email or our website for current pricing and to arrange delivery.

In stock

Fast dispatch

Order today

WhatsApp  
07464 644 830

waterboost.co.uk