



WaterBoost

WB-Coffin 340 Mini3

Complete pressurised water storage & boosting system

Part No. 2208210B

Get in touch

WhatsApp
07464 644 830

waterboost.co.uk
anglianpumping.com

IN STOCK · FAST DISPATCH

The complete solution for low water pressure.

The WaterBoost WB-Coffin 340 Mini3 is a complete, low-profile water boosting system engineered for installations where headroom is limited. It combines a 340 litre WRAS-approved coffin-style tank with the DAB Esybox Mini3 variable-speed pump — ideal for domestic and light commercial properties where space is restricted, such as garages, cupboards, and plant rooms.



340 L

Storage capacity

70 L/min

Max flow rate

5.5 bar

Max delivery pressure

1500×600×630

Tank dimensions (mm)

5 yr

Tank warranty



KEY FEATURES

- Low-profile coffin design — ideal where headroom is restricted
- WRAS-approved tank for potable water storage
- DAB Esybox Mini3 — compact, quiet, energy-efficient
- Intelligent variable-speed control — adjusts automatically to demand
- All interconnecting 1" braided hose included
- Pre-fitted By-law 30 kit, ½" ball float valve & 1" brass connection
- Wi-Fi monitoring & control via DAB DConnect app
- UV-stabilised polyethylene construction

WHAT'S INCLUDED

- Tank** 340 L WRAS-approved coffin-style tank
- Pump** DAB Esybox Mini3 variable-speed booster
- Pipework** 1" braided hose tank-to-booster connection
- Valve** ½" ball float valve & float (pre-fitted)
- Kit** By-law 30 kit (pre-fitted to tank)
- Brass** 1" brass connection set

IDEAL FOR

- Properties with restricted headroom or limited space
- Garages, cupboards and under-stair plant rooms
- Domestic properties with low mains pressure

TECHNICAL SPECIFICATIONS

TANK — WB-Coffin 340	
Capacity	340 litres
Style	Coffin / low-profile
Approval	WRAS-approved material
Material	UV-stabilised polyethylene
Colour	Blue
Manufacture	UK manufactured
Rust resistance	100% rust-proof
Dimensions (L×W×H)	1,500 × 600 × 630 mm
Access lid	8" pre-fitted
Ball valve	½" pre-fitted
Warranty	5 years

PUMP — DAB Esybox Mini3 Variable Speed	
Model	DAB Esybox Mini3
Type	Variable-speed inverter
Dimensions (W×H×D)	263 × 439 × 236 mm
Max flow rate	70 L/min
Flow @ 3 bar	50 L/min
Max pressure	5.5 bar
Speed control	Fully automatic variable
Display	LED ring display
Connectivity	Wi-Fi / DConnect ready
Operation	Quiet — water-cooled motor
Protection	IP X4
Warranty	3 years




SYSTEM OVERVIEW

Part number	2208210B
Availability	In stock — typically 2–3 working days
Tank dimensions (L×W×H)	1,500 × 600 × 630 mm
Pump dimensions (W×H×D)	263 × 439 × 236 mm
Approx. total footprint	1,763 × 600 mm (L × W) (pump alongside tank)
Mains inlet	½" BSP — ball float valve (1" brass connection)
Interconnecting pipework	1" braided hose (included)
Combined warranty	Tank 5 years · Pump 3 years

HOW IT WORKS

- 1 Mains water fills the storage tank automatically via the float valve
- 2 DAB Esybox Mini3 monitors demand and draws water from the tank
- 3 Variable-speed pump delivers consistent pressure to all outlets
- 4 When demand stops, pump rests — saving energy automatically

PERFORMANCE CURVE — DAB ESYBOX MINI3



Manufacturer's pump curve — head (H) vs flow (Q). Flow @ 3 bar (~30m head) ≈ 50 L/min.

ORDER OR ENQUIRE

In stock and ready to dispatch. Get in touch via WhatsApp, email or our website for current pricing and to arrange delivery.

In stock

Fast dispatch

Order today

WhatsApp
07464 644 830

waterboost.co.uk